

520 Lafayette Road North St. Paul, MN 55155-4194

Sewage tank maintenance reporting form

Subsurface Sewage Treatment Systems (SSTS) Program

Doc Type: Compliance and Enforcement

Purpose: Management and maintenance of Subsurface Sewage Treatment Systems (SSTS) are important to ensure resource protection and long-term and cost-effective sewage treatment. Completion of this form complies with the sewage tank maintenance requirements under Minn. R. 7080.2450 and 7082.0600. This form may be used to certify the compliance status of the sewage tank components of the SSTS. This form is not a complete SSTS inspection report, only a tank integrity assessment, and may only certify sewage tank compliance status when entirely completed and signed on page 3 by a qualified professional.

Instructions: A copy of this information must be submitted to the system owner within 30 days of the maintenance date and be maintained by the licensed SSTS maintainer business for a period of five (5) years from the maintenance date. Maintenance reporting to the local unit of government may be required by local ordinance. Check with your local SSTS program for maintenance reporting protocol. Page 3 is optional and not required to be completed on routine maintenance events.

Secure maintenance hole covers

All maintenance hole covers must be returned to service in a sound and durable condition and be capable of withstanding the anticipated load.

Covers must be re-secured in accordance with Minn. R. 7080.2450, subp. 3, Items C or D:

- Covers installed under local ordinances adopted after February 4, 2008 must be locked, bolted or screwed or must be 95 pounds in weight. They must be made of material suitable for outdoor use, resistant to ultraviolet degradation and leaks, and not susceptible to being slid or flipped. They must have a label warning of hazardous conditions inside the tank. All screw openings must be refastened.
- Covers installed under local ordinances adopted before February 4, 2008 must either be buried with at least 12 inches of soil cover or be secured according to the local ordinance in effect before February 4, 2008.
- Covers must meet item 'a' above when raised to the ground surface or less than 12 inches from the ground surface.

Reporting information

Date of maintenance (mm/dd/yyyy):			Reason for maintenance:					
Property address:								
City:								
	perty owner's name:							
Pro	perty-owner's address (if differ	rent):						
City	<i>t</i> :		State:	Zip code:				
Pho	one number:		Email address:					
1.	Did you measure the accur	nulation of scum ar	nd sludge? 🗌 Yes [☐ No (tank(s) pumped withou	ut measuring)			
	Tank (check if present)	Scum	Sludge	Operating depth	Percent full			
	☐ Septic/holding tank #1							
	☐ Septic/holding tank #2							
	☐ Pretreatment tank							
	☐ Pump tank							
		_		alaaa a baldina tank wa ta #4	helow)			
2.	Access used to remove sep	ptage: 🔲 Maintena	ince noie 🔲 Other (Ur	ness a noiding lank, go to #4	Delow)			
			•		,			
2. 3.	Access used to remove sell if the maintenance hole wa		•		,			
			•		,			
3.	If the maintenance hole wa	s used, were all cov w a Subsurface Sev	vers secured in place?	Yes No If no, μ	olease explain below:			
3.	If the maintenance hole wa	s used, were all cov w a Subsurface Sev and sign the followi	vers secured in place? vage Treatment System ng statement.	Yes ☐ No If no, p	olease explain below:			
3.	If the maintenance hole wa	s used, were all cov w a Subsurface Sev and sign the followi	vers secured in place? vage Treatment System ng statement.	Yes ☐ No If no, p	olease explain below:			
3.	If the maintenance hole was If the owner refuses to allohole, have them complete a	w a Subsurface Sevend sign the following, refused	vers secured in place? vage Treatment System ng statement. e to allow the removal of the statement access	Yes No If no, points is not considered a co	ough the maintenance gh the maintenance compliant method of			
	If the maintenance hole was If the owner refuses to allow hole, have them complete as I, (Print owner's name) hole. I understand that remove	w a Subsurface Sevend sign the following refused and sign the solids and liquid fulfill the solids remove below, I certify the	vage Treatment System of Statement. e to allow the removal of through other access val requirements of Min above statements to be	Yes No If no, pm (SSTS) to be pumped through the solids and liquids through spoints is not considered a con. R. 7080.2450 and 7082.06	ough the maintenance on the maintenance on the maintenance ompliant method of			

www.pca.state.mn.us 651-296-6300 800-657-3864 Use your preferred relay service Available in alternative formats Page 1 of 3

Property address:								Parcel ID:			
City	:				State:			Zip cod	le:		
5 .	Is the tank designed as a lea Tank #1: ☐ Yes ☐ No Tank #2: ☐ Yes ☐ No	Verifi	cation n	nethod used	·						
			oationn	ictiou uscu	·						
i.	Tank (check if present)	there evidence of the following? Tank leaks below the designed operating depth				Tank leaks above the designed operating depth			Maintenance hole cover is damaged, cracked, unsecured, or appears to be structurally unsound		
	☐ Septic/holding Tank #1		☐ Yes	☐ No		Yes	□No		Yes	□ No	
_	☐ Septic/holding Tank #2		☐ Yes	☐ No		Yes	□ No		Yes	☐ No	
=	☐ Pretreatment Tank		☐ Yes	☐ No		Yes	☐ No		Yes	□ No	
-	☐ Pump Tank		☐ Yes	☐ No		Yes	☐ No		Yes	☐ No	
	Describe detail for any "Yes"										
•	How many gallons of septag										
	Tank #1: Tan								Tank:		
•	Where was the septage taken Explanation (Facility name/Site										
		fy tank tic was			dition □ F	ffluent	screen cond	ition			
0.	☐ Evidence of non-domes ☐ Maintenance hole and e Explanation: ☐ List any troubleshooting and ☐ Troubleshooting and repairs	tic was extension	te	Baffle(s) con	ther condition	ns (e.g d by o	. structural inte	egrity of tank or	lid, elect	rical hazard, etc.	
-	□ Evidence of non-domes □ Maintenance hole and e Explanation: □ List any troubleshooting and □ Troubleshooting and repairs Additional comments or suggest	minor	te E	Baffle(s) condition ☐ O	her condition	ns (e.g d by o	. structural inte	egrity of tank or	lid, elect	rical hazard, etc.	
ur	□ Evidence of non-domes □ Maintenance hole and e Explanation: □ List any troubleshooting and □ Troubleshooting and repairs Additional comments or suggest	minor s condu	r repairs ucted:	Baffle(s) condition	or decline ☐ Repairs	d by o	. structural inte	egrity of tank or			
ur pe	□ Evidence of non-domes □ Maintenance hole and e Explanation: □ List any troubleshooting and □ Troubleshooting and repairs Additional comments or suggest	minor s condu	r repairs ucted:	Baffle(s) condition	or decline ☐ Repairs	d by o	. structural inte	egrity of tank or			
ur pe ith	□ Evidence of non-domes □ Maintenance hole and e Explanation: □ List any troubleshooting and □ Troubleshooting and repairs Additional comments or suggest mping record rsonally conducted the work designed.	minor s condu	above of	Baffle(s) condition O	d or decline ☐ Repairs ation: A Minnesota	d by o	structural inte	egrity of tank or	usiness,		
ur pe iith	□ Evidence of non-domes □ Maintenance hole and e Explanation: □ List any troubleshooting and □ Troubleshooting and repairs Additional comments or suggest mping record rsonally conducted the work des Minnesota Rules Chapters 708 As a noncertified individual who	minor scondu	above a serived processing the suiter and the suite	Baffle(s) condition O	d or decline Repairs ation: a Minnesota g, daily work hents to be to	d by o	wner: ned by owner sed SSTS Ma	egrity of tank or	<i>usiness,</i> n, or	in compliance	
pe ith	Evidence of non-domes Maintenance hole and e Explanation: List any troubleshooting and Troubleshooting and repairs Additional comments or suggest Additional comments or suggest resonally conducted the work des Minnesota Rules Chapters 708 As a noncertified individual who As a designated certified individual typing/signing my name below	minor scondu	above a serived processing the suiter and the suite	Baffle(s) condition O	a Minnesota g, daily work elow. nents to be to	d by o declin	wner: ned by owner sed SSTS Ma	egrity of tank or intenance But dic observation	<i>usiness,</i> n, or	in compliance	
ur perith	□ Evidence of non-domes □ Maintenance hole and e Explanation: □ List any troubleshooting and □ Troubleshooting and repairs Additional comments or suggest mping record resonally conducted the work des Minnesota Rules Chapters 708 As a noncertified individual who As a designated certified individual typing/signing my name below information can be used for the	minor scondu	r repairs r repairs ucted: for owne above of 83: belived p ne busin tify the a se of pro	Baffle(s) condition O	a Minnesota g, daily work elow. nents to be to form. Emp	d by o declin	wner: ned by owner sed SSTS Ma w, and period d correct, to	egrity of tank or intenance But dic observation the best of my	<i>isiness,</i> n, or y knowle	in compliance	
pe perith	□ Evidence of non-domes □ Maintenance hole and e Explanation: □ List any troubleshooting and □ Troubleshooting and repairs Additional comments or suggest Additional comments or suggest As a noncertified individual who has a designated certified individual who has a manufacture of the has a manufa	minor scondu	above of see of products.	Baffle(s) condition O	a Minnesota g, daily work elow. nents to be to form. Emp	d by o declin	wner: ned by owner red SSTS Ma w, and period d correct, to	egrity of tank or intenance But dic observation the best of my	<i>isiness,</i> n, or y knowle	in compliance	
ur pe vith J v nis on	□ Evidence of non-domes □ Maintenance hole and e Explanation: □ List any troubleshooting and □ Troubleshooting and repairs Additional comments or suggest Additional comments or suggest As a noncertified individual who has a designated certified individual who has a feet of the hapany information	minor scondu	above of see of products.	Baffle(s) condition O	a Minnesota g, daily work elow. nents to be to form. Emp Print Certi	d by o declin	wner: ned by owner wed SSTS Ma w, and period d correct, to	egrity of tank or intenance But dic observation the best of my	<i>isiness,</i> n, or y knowle	in compliance	

Property address:			ID: de:			
Optional section: Sewage Tank Compl	iance Certification (Ta	ank integrity as	ssessment)			
This form does not represent a complete system in this form, completed, may serve as a tank integrity assets.		ifies sewage tank co	ompliance status. i.e.,			
nstructions: This section of the form may be complet Maintenance Business who personally conducts the ne he system.						
When this section of the form is signed by a qualified control in the control in the system Compliance Inspection Report: Compliance Inspection Report: Compliance Inspection Report: Compliance Institute Ins	iance inspection form - Existing	system (wq-wwists4				
The information and certified statement on this form is nedividual other than the SSTS Inspector that submits a component compliance and is allowable under Minn. R. hree years beyond the signature date on this form unle equired according to local regulations. Additional Admi R. 7082.0700, subp. 4 Items B, C, and D; 7083.0730 Items	n inspection report. This form r . 7082.0700, subp. 4 Item (B) s ess a new evaluation is request nistrative Rule references for the	epresents a third part subitem (1). This form ed by the owner or ov	ty assessment of SSTS is valid for a period of wner's agent or is			
Pages 1 and 2 are not required to accompany this for ewage tank compliance status.	orm when the optional third p	page is completed a	nd used to certify			
System status						
System status on date (mm/dd/yyyy):						
☐ Certificate of sewage tank compliand	ce 🗌 Notic	ce of sewage tank	non-compliance			
C	Compliance criteria:					
The SSTS has a seepage pit, cesspool, drywell, leach Groundwater."	ing pit, or other pit - " Failure to	Protect	☐Yes* ☐ No			
The SSTS has a sewage tank that leaks below the dea	signed operating depth - " Failu	re to Protect	☐ Yes* ☐ No			
The SSTS presents a threat to public safety by reason weak) maintenance hole cover(s) or lids or any other the Health or Safety."			☐ Yes* ☐ No			
Any "yes" answer abo	ve indicates sewage tank	non-compliance.				
Company information	_	Designated Certified Individual (DCI) information				
Company name: Business license number:						
dusiness ilcerise number.		nl of a Minnesota-licer	sed SSTS Maintenance			
			ago tariit iii tino oo i o.			
I personally conducted the work described above as a Business. I personally conducted the necessary proce By typing/signing my name below, I certify the above this information can be used for the purpose of proces	dures to assess the compliance to statements to be true and co		ny knowledge, and that			

www.pca.state.mn.us • 651-296-6300 • 800-657-3864 • Use your preferred relay service • Available in alternative formats wq-wwists4-38 • 4/28/21 • $Page\ 3\ of\ 3$